

33 4th Street NW, Sioux Center, IA 51250 [712-722-1700] care@promisechc.org | promisehc.org

#### Dear New Patient:

We welcome you to the practice of Emily Leinen, PMHNP. We appreciate the confidence you place in us as one of your health care providers, and thank you for choosing Promise.

We have some important reminders to inform you of so you can have an excellent experience while visiting our office. You are very important to us, and each appointment is valuable.

- We ask that you arrive 20 minutes before your scheduled appointment.
- As a Psych NP, Emily is considered a specialty practice. While billing will be handled the same, your copay or deductible may be a little higher.
- If you need to cancel or reschedule your appointment, please call us at 712-722-1700 as soon as possible.
- PMHNP office hours are as follows:
  - Monday CLOSED
  - Tuesday and Wednesday 8:00 am-7:00 pm
  - Thursday and Friday 8:00 am-5:00 pm.

Sm. ARNP

- Refills will be completed during office hours only
- Please park in the parking lot across the street from Promise

Enclosed you will find new patient paperwork. Please return completed paperwork to our office via mail, email, or by dropping it off at our office. Once we have received your completed paperwork, the nurse will reach out to you to schedule an appointment.

Email: medicalrecords@promisechc.org

Mail: 33 4th Street NW

Attn: Medical Records Sioux Center, IA 51250

You will be receiving a reminder call or text from our automated service prior to your appointment. If you have any questions, please feel free to call our office at 712-722-1700. We look forward to meeting you.



## **NEW PATIENT INFORMATION FORM**

Patient Name:			•	DOB:	. /		Date:	/ /
Reason for visit:								
Do you have a legal	guardian? YE	s NO	١	lame of guardia	n:			,
Referring person/pro	ovider:			Prima	ary pro	ovider:		
Pharmacy:								
	Circle an	y symptoms b	elow that	you are currently	y havii	ng (circle all th	nat apply):	
Anxiety De	epression	Mood proble	ems	Irritability/ange	er	Suicidal th	noughts	Sleep problems
Seeing things Ho	earing things	Impulsivene	SS	Substance abu	se	Concentra	ation problems	Memory problems
Other symptoms of	concern:							
Allergies to medicat	ions? YES	NO						
<u></u>			Curr	ent Medications	<u>:</u>		T., , , , ,	
Name of medication	n:			Dose:			Number of ti	mes taken daily:
				,				
							<u></u>	
			Past Psy	chiatric Medicat	ions:			
Name of medication	n:	Dose: Ap	prox date	s started & stop	ped:	Reason disco	ontinued/react	ions or intolerances:
				_				
				-			•	
				H				
				H				
				н				
<u> </u>				-	l.			
-	r the last 2 weeks							
Little interest or plea	sure in doing thi	ngs: Not at	all Sev	eral days (+1)	Mor	e than half th	ne days (+2)	Nearly every day (+3)
Feeling down, depre	ssed or hopeless	: Not at	all Sev	eral days (+1)	Mor	e than half th	ne days (+2)	Nearly every day (+3)
Pro	blems at home/w	ork/school/sc	cially beca	ause of symptom	ıs: (ple	ase score 0-1	0, with 0 being	none)
	ms at work/scho						y:	

Problems with family life/home responsibilities: \_\_\_\_\_/ 10



## **SOCIAL HISTORY**

Patient Name.					co von grow up		
Growing Up Place	ce of birth	l:	-l Cinala Ot				
Do they remain man				and the second s	dian agratakar	•	
Step parents: YES	NO _					*	
Siblings: YES No							
Step-siblings: YES	ИО	Number of st	ep-brothers:	Num	ber of step-siste	ers:	
Others you were rai	ised with:	YES NO_					
			Life Growing	Up (circle all that	apply):		
		Safe	Нарру	Content	G	pod	
Ur	nsafe		/ Not co		Bad	Bullied	
Other:							
			now:		Others that liv	e in the home:	
Current marital stat	ne Sir	ngle Married	l Partner Otl	her:		<b></b>	
Previous marriages:			, , , , , , , , , , , , , , , , , , , ,				
Previous marnages.	ILO I		D	. ( 12 / - 1 11 + 1-	t		
			-	/ feel? (circle all th		- a d	
			Нарру			ood Dullied	
	ısafe	Unhappy	/ Not co	ntent	Bad	Bullied .	
Other:							
Children YES					iber of daugnter	5.	
Step-children: YE	s no	Numbe	er of step-sons:		Number of step	-daughters:	
Provide details if de	sired:						
<b>Support System</b>	(who pro	vides you with	n emotional suppo	rt)			•
Education							
Highest grade?		Did vou gra	duate? YES N	NO From:		GED? YES	NO
College: YES N							
Learning disabilities		•					
_							
Work History (w	hat types	of jobs have y	ou had and/or do	you have)			
Legal Problems	or Charg	ges YES	NO Current leg	gal charges:			
Past:				Probation/	parole:		
History of violence:							
Substance Abus	- Hictor	.,					
	e mstoi	<u>y</u>	That are of use	Evaguency of	use when using	Typical amount used	Last use
Substance type			First age of use	Frequency or i	use when using	Typical amount asea	Last use
Alcohol							
Marijuana							
Cocaine/crack/meth	. , ,						
Hallucinogens Heroin/opiates							
Prescription drugs							
Caffeine use			, , , , , , , , , , , , , , , , , , ,				
Nicotine (circle type)							
Cigarettes Ciga	ars Pipe	e Chew					
Other (bath salts/K2)	:	<u> </u>					
Drug of choice:			1 11 1 11				
History of alcohol wi	thdrawal (s	eizures-shakes-	tremors-hallucination	ons):			

Treatment History					
Drug/alcohol treatment	No	Yes	Dates		Provider/treatment facilit
		lop.	(Clt l.	ng) term resider	-Hol
Treatment: AA/NA	Outpatient	IOP	(Snort or i	ong) term resider	ILIAI
		MEDICA	AT LICT	ropv	
		MEDICA	4L 1113	IOKI	
Current medical provider:					
Current health concerns or di	agnoses:				
		•			
FEMALES ONLY Last me	nstrual period:	1 1		Birth control me	thod:
PRIVIALES WINES ESSUING					
	_				
Premenstrual symptoms:					
Premenstrual symptoms: Other symptoms (hot flashes	, etc):				
Premenstrual symptoms: Other symptoms (hot flashes	, etc):				
Premenstrual symptoms: Other symptoms (hot flashes Only if pregnant or plan	etc):	ming pregnant	t		
Premenstrual symptoms: Other symptoms (hot flashes Only if pregnant or plan OB doctor:	, etc): ning on becom Prena	ming pregnant	E	Breast	t Bottle
Premenstrual symptoms: Other symptoms (hot flashes Only if pregnant or plan	, etc): ning on becom Prena	ming pregnant	E		t Bottle
Premenstrual symptoms: Other symptoms (hot flashes Only if pregnant or plan OB doctor: Number of pregnancies:	, etc): ning on becor Prena	ming pregnant	E	Breast	t Bottle
Premenstrual symptoms: Other symptoms (hot flashes Only if pregnant or plan OB doctor:	, etc): ning on becom Prena	ming pregnant	E	Breast	t Bottle
Premenstrual symptoms: Other symptoms (hot flashes Only if pregnant or plan OB doctor: Number of pregnancies: Hand dominance: Left	ning on become Prena	ming pregnant tal classes: Number	of children:	Breast	Bottle
Premenstrual symptoms: Other symptoms (hot flashes Only if pregnant or plan OB doctor: Number of pregnancies: Hand dominance: Left	ning on become Prena	ming pregnant tal classes: Number	of children:	Breast	Bottle
Premenstrual symptoms: Other symptoms (hot flashes Only if pregnant or plan OB doctor: Number of pregnancies: Hand dominance: Left	ning on become Prena Right	ming pregnant tal classes: Number	of children:	Breast	Bottle
Premenstrual symptoms: Other symptoms (hot flashes Only if pregnant or plan OB doctor: Number of pregnancies: Hand dominance: Left Sur	ning on become Prena Right	ming pregnant tal classes: Number (check those for	of children:	Breast	e Bottle  Doest history of):  Tonsillectomy
Premenstrual symptoms: Other symptoms (hot flashes Only if pregnant or plan OB doctor: Number of pregnancies: Hand dominance: Left  Sur  Adenoidectomy	ning on become Prename Right  gical History	ming pregnant tal classes: Number (check those for	of children: _ which you ha	Breast ave a current or p se replacement	e Bottle  Doest history of):  Tonsillectomy
Premenstrual symptoms: Other symptoms (hot flashes Only if pregnant or plan OB doctor: Number of pregnancies: Hand dominance: Left  Sur  Adenoidectomy Appendectomy	ning on become Prena Right  gical History  G H	ming pregnant tal classes:  Number  (check those for sallbladder sastric bypass	of children: _ which you had Kne	Breast ave a current or pereplacement Right Left	past history of):  Tonsillectomy Tubal ligation
Premenstrual symptoms: Other symptoms (hot flashes Only if pregnant or plan OB doctor: Number of pregnancies: Hand dominance: Left  Sur  Adenoidectomy Appendectomy Colectomy	Right  G  G  H  H  H  H  H  H  H  H  H  H  H	ming pregnant tal classes:  Number  (check those for liallbladder liastric bypass lernia repair	of children: _ which you have a Knee	Breast  ave a current or p ereplacement Right Left er biopsy	past history of):  Tonsillectomy Tubal ligation Heart surgery/CABG

#### Medical Review of Systems (check those for which you have a current or past history of):

Alcohol dependence	Gastrointestinal	/colorectal	Muse	culoskeletal		
Breast problems	> Cancer		> [	Broken bones		
Cancer	> Celiac diseas	е	>1	Muscle damage/tears		
> Type	> Constipation		> (	Osteoarthritis		
Cardiovascular/heart	> Crohn's disea	ase/ulcerative colitis	> !	> Use wheelchair/walker/cane		
> High blood pressure/hypertension	> Diarrhea		Resp	iratory		
Head/brain	> GERD/Reflu	x	> /	Asthma .		
> Concussion	> Irritable bow	el disease	> (	COPD		
> Traumatic brain injury	> Peptic ulcer		>1	Emphysema		
> Seizures	Endocrine		>1	History of bronchitis		
> Stroke/cerebral vascular accident	> Thyroid Prob	lems	>	History of pneumonia		
> TIA/transient ischemic attack	> Diabetes		Urin	ary problems		
High cholesterol	> PCOS (poly o	cystic ovarian syndrome)	Vasc	ular problems		
Liver disease	Autoimmune		>	Gastric or esophageal varices		
> Cirrhosis	> Rheumatoid	arthritis	>	Blood clots		
> Hepatitis A B C	> Lupus		Wea	kness, general		
Gallbladder problems	Pancreatitis		Othe	er		
Constitutional YES Eyes	YES	Gl	YES	Endo/heme/allergies	YES	

# PHQ-9 modified for Adolescents (PHQ-A)

Name: Clinician:		Date	-	
Instructions: How often have you been bothered by eaweeks? For each symptom put an "X" in the box beneat	ch of the following th the answer tha	g symptoms d at best describ	luring the past poes how you ha	<u>two</u> ave been
feeling.	(0) Not at all	(1) Several days	(2) More than half the days	(3) Nearly every day
1. Feeling down, depressed, irritable, or hopeless?			ano dayo	
Little interest or pleasure in doing things?				
Trouble falling asleep, staying asleep, or sleeping to much?	0			
4. Poor appetite, weight loss, or overeating?				
5. Feeling tired, or having little energy?				
6. Feeling bad about yourself – or feeling that you are a failure, or that you have let yourself or your family down?	A .			
7. Trouble concentrating on things like school work, reading, or watching TV?				
Moving or speaking so slowly that other people could have noticed?  Or the opposite – being so fidgety or restless that you have not been usual?				
<ul><li>were moving around a lot more than usual?</li><li>9. Thoughts that you would be better off dead, or of hurting yourself in some way?</li></ul>				
In the past year have you felt depressed or sad most da	ys, even if you fe	It okay somet	imes?	
□Yes □No				
If you are experiencing any of the problems on this form, do your work, take care of things at home or get alo	ng with other peo	ple?		or you to
□Not difficult at all □Somewhat difficult	□Very difficult	LIExtre	mely difficult	
			11 115 6	
Has there been a time in the <u>past month</u> when you have  ☐Yes ☐No	e had serious tho	ughts about e	nding your life?	<i>(</i>
☐Yes ☐No Have you <b>EVER</b> , in your WHOLE LIFE, tried to kill yours	olf or made a sui	olde attempt?		
Have you <b>EVER</b> , in your WHOLE LIFE, tiled to kill yours	ell of made a sur	side attempt:		
□Yes □No				
**If you have had thoughts that you would be better off d this with your Health Care Clinician, go to a hospital eme	ead or of hurting ergency room or c	yourself in so call 911.	me way, please	e aiscuss
Office use only:	Sev	erity score: _		

### **GAD-7 Screening Questions**

	During the last 2 weeks, how often have you been bothered by the following problems?	not at all	several days	more than half the days	nearly every day
1	Feeling nervous, anxious, or on edge	0	1	2	3
2	Not being able to stop or control worrying	0	1	2	3
3	Worrying too much about different things	0	1	2	3
4.	Trouble relaxing	0	1	2	3
5.	Being so restless that it is hard to sit still	0	1	2	3
6.	Becoming easily annoyed or irritable	0	1	2	3
7.	Feeling afraid as if something awful might happen	0	1	2	3
	Total Score: = Ad	dd columns:	+	+	
	If you checked off any problems, he to do your work, take care of things	ow difficult has at home, or	ave these pro get along wit	blems made h other peopl	it for you e?
	Not difficult Somewhat at all difficult		ery ficult	Extremely difficult	

## Altman Self-Rating Mania Scale (ASRM)

Instructions:  1. There are 5 statements groups on this questionnaire: read each group of statements carefully.  2. Choose the one statement in each group that best describes the way you have been feeling for the past week.  3. Check the box next to the number/statement selected.  4. Please note: The word "occasionally" when used here means once or twice; "often" means several times or more and "frequently" means most of the time.  Question 1  0
<ol> <li>There are 5 statements groups on this questionnaire: read each group of statements carefully.</li> <li>Choose the one statement in each group that best describes the way you have been feeling for the past week.</li> <li>Check the box next to the number/statement selected.</li> <li>Please note: The word "occasionally" when used here means once or twice; "often" means several times or more and "frequently" means most of the time.</li> <li>Question 1         <ul> <li>I do not feel happier or more cheerful than usual.</li> <li>I loccasionally feel happier or more cheerful than usual.</li> <li>I often feel happier or more cheerful than usual.</li> <li>I feel happier or more cheerful than usual most of the time.</li> </ul> </li> <li>Question 2         <ul> <li>I do not feel more self-confident than usual.</li> <li>I occasionally feel more self-confident than usual.</li> <li>I occasionally feel more self-confident than usual.</li> <li>I feel more self-confident than usual.</li> <li>I feel more self-confident than usual.</li> <li>I feel more self-confident all of the time.</li> </ul> </li> <li>Question 3         <ul> <li>I do not need less sleep than usual.</li> <li>I cocasionally need less sleep than usual.</li> <li>I occasionally need less sleep than usual.</li> <li>I often need less sleep than usual.</li> <li>I can go all day and night without any sleep and still not feel tired.</li> </ul> </li> <li>Question 4</li> </ol>
<ul> <li>2. Choose the one statement in each group that best describes the way you have been feeling for the past week.</li> <li>3. Check the box next to the number/statement selected.</li> <li>4. Please note: The word "occasionally" when used here means once or twice; "often" means several times or more and "frequently" means most of the time.</li> <li>Question 1</li> <li>0 I do not feel happier or more cheerful than usual.</li> <li>1 I occasionally feel happier or more cheerful than usual.</li> <li>2 I often feel happier or more cheerful than usual.</li> <li>3 I feel happier or more cheerful than usual most of the time.</li> <li>Question 2</li> <li>0 I do not feel more self-confident than usual.</li> <li>1 I occasionally feel more self-confident than usual.</li> <li>2 I often feel more self-confident than usual.</li> <li>3 I feel more self-confident than usual.</li> <li>4 I feel extremely self-confident all of the time.</li> <li>Question 3</li> <li>0 I do not need less sleep than usual.</li> <li>1 I occasionally need less sleep than usual.</li> <li>2 I often need less sleep than usual.</li> <li>3 I frequently need less sleep than usual.</li> <li>4 I can go all day and night without any sleep and still not feel tired.</li> <li>Question 4</li> </ul>
the past week.  Check the box next to the number/statement selected.  Please note: The word "occasionally" when used here means once or twice; "often" means several times or more and "frequently" means most of the time.  Question 1  O I do not feel happier or more cheerful than usual.  I I occasionally feel happier or more cheerful than usual.  I I feel happier or more cheerful than usual.  I I feel happier or more cheerful than usual most of the time.  I feel happier or more cheerful than usual all of the time.  Question 2  O I do not feel more self-confident than usual.  I occasionally feel more self-confident than usual.  I feel more self-confident than usual.  I feel more self-confident than usual.  I feel more self-confident all of the time.  Question 3  O I do not need less sleep than usual.  I occasionally need less sleep than usual.  I frequently need less sleep than usual.  I corn go all day and night without any sleep and still not feel tired.  Question 4
3. Check the box next to the number/statement selected. 4. Please note: The word "occasionally" when used here means once or twice; "often" means several times or more and "frequently" means most of the time.  Question 1  0 I do not feel happier or more cheerful than usual.  1 I occasionally feel happier or more cheerful than usual.  2 I often feel happier or more cheerful than usual most of the time.  4 I feel happier or more cheerful than usual all of the time.  Question 2  0 I do not feel more self-confident than usual.  1 I occasionally feel more self-confident than usual.  2 I often feel more self-confident than usual.  3 I feel more self-confident than usual.  4 I feel extremely self-confident all of the time.  Question 3  0 I do not need less sleep than usual.  1 I occasionally need less sleep than usual.  3 I frequently need less sleep than usual.  4 I can go all day and night without any sleep and still not feel tired.  Question 4
4. Please note: The word "occasionally" when used here means once or twice; "often" means several times or more and "frequently" means most of the time.  Question 1    0   I do not feel happier or more cheerful than usual.   1   I occasionally feel happier or more cheerful than usual.   2   I often feel happier or more cheerful than usual.   3   I feel happier or more cheerful than usual most of the time.   4   I feel happier or more cheerful than usual all of the time.  Question 2    0   I do not feel more self-confident than usual.   1   I occasionally feel more self-confident than usual.   2   I often feel more self-confident than usual.   3   I feel more self-confident than usual.   4   I feel extremely self-confident all of the time.  Question 3    0   I do not need less sleep than usual.   1   I occasionally need less sleep than usual.   2   I often need less sleep than usual.   3   I frequently need less sleep than usual.   4   I can go all day and night without any sleep and still not feel tired.  Question 4
several times or more and "frequently" means most of the time.  Question 1  0 I do not feel happier or more cheerful than usual.  1 I occasionally feel happier or more cheerful than usual.  2 I often feel happier or more cheerful than usual.  3 I feel happier or more cheerful than usual most of the time.  4 I feel happier or more cheerful than usual all of the time.  Question 2  0 I do not feel more self-confident than usual.  1 I occasionally feel more self-confident than usual.  2 I often feel more self-confident than usual.  3 I feel more self-confident than usual.  4 I feel extremely self-confident all of the time.  Question 3  0 I do not need less sleep than usual.  1 I occasionally need less sleep than usual.  3 I frequently need less sleep than usual.  4 I can go all day and night without any sleep and still not feel tired.  Question 4
Question 1  O I do not feel happier or more cheerful than usual.  1 I occasionally feel happier or more cheerful than usual.  2 I often feel happier or more cheerful than usual.  3 I feel happier or more cheerful than usual most of the time.  4 I feel happier or more cheerful than usual all of the time.  Question 2  0 I do not feel more self-confident than usual.  1 I occasionally feel more self-confident than usual.  2 I often feel more self-confident than usual.  3 I feel more self-confident than usual.  4 I feel extremely self-confident all of the time.  Question 3  0 I do not need less sleep than usual.  1 I occasionally need less sleep than usual.  3 I frequently need less sleep than usual.  4 I can go all day and night without any sleep and still not feel tired.  Question 4
□ 0 I do not feel happier or more cheerful than usual. □ 1 I occasionally feel happier or more cheerful than usual. □ 2 I often feel happier or more cheerful than usual. □ 3 I feel happier or more cheerful than usual most of the time. □ 4 I feel happier or more cheerful than usual all of the time.  Question 2 □ 0 I do not feel more self-confident than usual. □ 1 I occasionally feel more self-confident than usual. □ 2 I often feel more self-confident than usual. □ 3 I feel more self-confident than usual. □ 4 I feel extremely self-confident all of the time.  Question 3 □ 0 I do not need less sleep than usual. □ 1 I occasionally need less sleep than usual. □ 2 I often need less sleep than usual. □ 3 I frequently need less sleep than usual. □ 4 I can go all day and night without any sleep and still not feel tired.  Question 4
□ 1 I occasionally feel happier or more cheerful than usual.   □ 2 I often feel happier or more cheerful than usual.   □ 3 I feel happier or more cheerful than usual most of the time.   □ 4 I feel happier or more cheerful than usual all of the time.   Question 2   □ 0 I do not feel more self-confident than usual.   □ 1 I occasionally feel more self-confident than usual.   □ 2 I often feel more self-confident than usual.   □ 3 I feel extremely self-confident all of the time.   Question 3   □ 0 I do not need less sleep than usual.   □ 1 I occasionally need less sleep than usual.   □ 2 I often need less sleep than usual.   □ 3 I frequently need less sleep than usual.   □ 3 I frequently need less sleep than usual.   □ 4 I can go all day and night without any sleep and still not feel tired.   Question 4
2 I often feel happier or more cheerful than usual. 3 I feel happier or more cheerful than usual most of the time. 4 I feel happier or more cheerful than usual all of the time.  Question 2  0 I do not feel more self-confident than usual. 1 I occasionally feel more self-confident than usual. 2 I often feel more self-confident than usual. 3 I feel more self-confident than usual. 4 I feel extremely self-confident all of the time.  Question 3  0 I do not need less sleep than usual. 1 I occasionally need less sleep than usual. 2 I often need less sleep than usual. 3 I frequently need less sleep than usual. 4 I can go all day and night without any sleep and still not feel tired.  Question 4
3 I feel happier or more cheerful than usual most of the time.   4 I feel happier or more cheerful than usual all of the time.   Question 2 0 I do not feel more self-confident than usual.   1 I occasionally feel more self-confident than usual.   2 I often feel more self-confident than usual.   3 I feel more self-confident than usual.   4 I feel extremely self-confident all of the time.   Question 3   0 I do not need less sleep than usual.   1 I occasionally need less sleep than usual.   2 I often need less sleep than usual.   3 I frequently need less sleep than usual.   4 I can go all day and night without any sleep and still not feel tired.   Question 4
<ul> <li>☐ 4 I feel happier or more cheerful than usual all of the time.</li> <li>Question 2</li> <li>☐ 0 I do not feel more self-confident than usual.</li> <li>☐ 1 I occasionally feel more self-confident than usual.</li> <li>☐ 2 I often feel more self-confident than usual.</li> <li>☐ 3 I feel more self-confident than usual.</li> <li>☐ 4 I feel extremely self-confident all of the time.</li> <li>Question 3</li> <li>☐ 0 I do not need less sleep than usual.</li> <li>☐ 1 I occasionally need less sleep than usual.</li> <li>☐ 2 I often need less sleep than usual.</li> <li>☐ 3 I frequently need less sleep than usual.</li> <li>☐ 4 I can go all day and night without any sleep and still not feel tired.</li> <li>Question 4</li> </ul>
Question 2  O I do not feel more self-confident than usual.  I occasionally feel more self-confident than usual.  I often feel more self-confident than usual.  I feel more self-confident than usual.  I feel extremely self-confident all of the time.  Question 3  O I do not need less sleep than usual.  I occasionally need less sleep than usual.  I often need less sleep than usual.  I frequently need less sleep than usual.  I frequently need less sleep than usual.  I can go all day and night without any sleep and still not feel tired.  Question 4
<ul> <li>0 I do not feel more self-confident than usual.</li> <li>1 I occasionally feel more self-confident than usual.</li> <li>2 I often feel more self-confident than usual.</li> <li>3 I feel more self-confident than usual.</li> <li>4 I feel extremely self-confident all of the time.</li> <li>Question 3</li> <li>0 I do not need less sleep than usual.</li> <li>1 I occasionally need less sleep than usual.</li> <li>2 I often need less sleep than usual.</li> <li>3 I frequently need less sleep than usual.</li> <li>4 I can go all day and night without any sleep and still not feel tired.</li> <li>Question 4</li> </ul>
1   l occasionally feel more self-confident than usual. 2   l often feel more self-confident than usual. 3   l feel more self-confident than usual. 4   l feel extremely self-confident all of the time.  Question 3  0   l do not need less sleep than usual. 1   l occasionally need less sleep than usual. 2   l often need less sleep than usual. 3   l frequently need less sleep than usual. 4   l can go all day and night without any sleep and still not feel tired.  Question 4
2   often feel more self-confident than usual. 3   I feel more self-confident than usual. 4   I feel extremely self-confident all of the time.  Question 3  0   I do not need less sleep than usual. 1   occasionally need less sleep than usual. 2   I often need less sleep than usual. 3   I frequently need less sleep than usual. 4   I can go all day and night without any sleep and still not feel tired.  Question 4
3 I feel more self-confident than usual. 4 I feel extremely self-confident all of the time.  Question 3  0 I do not need less sleep than usual. 1 I occasionally need less sleep than usual. 2 I often need less sleep than usual. 3 I frequently need less sleep than usual. 4 I can go all day and night without any sleep and still not feel tired.  Question 4
4 I feel extremely self-confident all of the time.  Question 3  0 I do not need less sleep than usual.  1 I occasionally need less sleep than usual.  2 I often need less sleep than usual.  3 I frequently need less sleep than usual.  4 I can go all day and night without any sleep and still not feel tired.  Question 4
Question 3  O I do not need less sleep than usual.  1 I occasionally need less sleep than usual.  2 I often need less sleep than usual.  3 I frequently need less sleep than usual.  4 I can go all day and night without any sleep and still not feel tired.  Question 4
<ul> <li>I do not need less sleep than usual.</li> <li>I occasionally need less sleep than usual.</li> <li>I often need less sleep than usual.</li> <li>I frequently need less sleep than usual.</li> <li>I can go all day and night without any sleep and still not feel tired.</li> </ul> Question 4
1 I occasionally need less sleep than usual. 2 I often need less sleep than usual. 3 I frequently need less sleep than usual. 4 I can go all day and night without any sleep and still not feel tired.  Question 4
2 I often need less sleep than usual. 3 I frequently need less sleep than usual. 4 I can go all day and night without any sleep and still not feel tired.  Question 4
3 I frequently need less sleep than usual. 4 I can go all day and night without any sleep and still not feel tired.  Question 4
4 I can go all day and night without any sleep and still not feel tired.  Question 4
Question 4
o rachet dik mele tran dadar
1 I occasionally talk more than usual.
2 I often talk more than usual.
3 I frequently talk more than usual.
4 I talk constantly and cannot be interrupted
Question 5
0 I have not been more active (either socially, sexually, at work, home or school) than usual.
I have occasionally been more active than usual.
2 I have often been more active than usual
3 I have frequently been more active than usual.
4 I am constantly active or on the go all the time. Permission for use granted by EG Altman, MD

Permission for use granted by EG Altman, MD